



SECTION I


ONE (1) CORE
ENCLOSED SPIRAL
HT-50E

HT-50E






HT-50E Enclosed Spiral Separator



Completely Enclosed For

- ◆ **Dust Control**
- ◆ **Quiet Operation**
- ◆ **Compactness**
- ◆ **Ease of Handling**




HT-50E


⇒ **High Capacity 50 BPH**

- ◆ Each unit contains (1) independent soldered, galvanized Spiral Core Cartridge with each having infinitely adjustable flow-control (flow control adjustable during operation)
- ◆ Integral self-cleaning hopper
- ◆ Deflectors included for fine tuning separation
- ◆ One (1) access door for easy entrance to internal components (2 doors optional)
- ◆ Heavy 14 gauge body construction with rubber cushioned seed discharge points
- ◆ Legs 3/16" Flanges 1/8"
- ◆ Different pitched spiral cores offered which are easily installed
(these cores can be furnished in Galvanized metal up to 22 gauge & 24 gauge Stainless)

⇒ Figure based on average precleaned soybean seed but may vary depending on precleaning quality, type seed, or required quality of final product.

BASIC HT-50E BOX TYPE SPIRAL SEPARATOR (MATERIAL PATH)





	Millimeters			
	L	B	S	T
A	152.4	152.4	38.1	38.1
B	177.8	101.6	38.1	38.1

